

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

- Trade name ECO2FUME® FUMIGANT GAS

1.2 Relevant identified uses of the substance or mixture and uses advised against**Uses of the Substance/Mixture**

- Fumigant

1.3 Details of the supplier of the safety data sheet**Company**

CYTEC AUSTRALIA HOLDINGS PTY LTD.
Suite 1, Level 1, 21 Solent Cct.,
Baulkham Hills, 2153 Australia
Telephone: +61 2 9846 6200

E-mail address

manager.sds@solvay.com

1.4 Emergency telephone number

+61 2 8014 4558 [CareChem 24]
MULTI LINGUAL EMERGENCY NUMBER (24/7)
Europe/Latin America/Africa : +44 1235 239 670 (UK)
Middle East/Africa speaking Arabic : +44 1235 239 671 (UK)
Asia Pacific : +65 3158 1074 (Singapore)
China : 400 120 6011 (toll-free, access from China only)
North America : +1 800 424 9300

Poisons information

- "For advice, contact a Poison Information Center (e.g. phone Australia 13 1126) or a doctor (at once)"

Disclaimer

The ® indicates a Registered Trademark in the United States and the ™ indicates a trademark in the United States. The mark may also be registered, subject of an application for registration, or a trademark in other countries.

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Work Health and Safety Regulation 2011**


- | | |
|---|---|
| - Gases under pressure , Compressed gas | H280: Contains gas under pressure; may explode if heated. |
| - Acute toxicity , Category 3 | H331: Toxic if inhaled. |
| - Skin irritation , Category 2 | H315: Causes skin irritation. |
| - Eye irritation , Category 2A | H319: Causes serious eye irritation. |

SUSMP (AU)

- Schedule 7: Dangerous Poison

2.2 Label elements**Work Health and Safety Regulation 2011**

- CAS-No. 7803-51-2 phosphine

Pictogram**Signal word**

- Danger

Hazard statements

- H280 Contains gas under pressure; may explode if heated.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.

Precautionary statementsPrevention

- P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
- P264 Wash skin thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/ eye protection/ face protection.

Response

- P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
- P304 + P340 + P311 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P332 + P313 If skin irritation occurs: Get medical advice/ attention.
- P337 + P313 If eye irritation persists: Get medical advice/ attention.
- P362 Take off contaminated clothing and wash before reuse.

Storage

- P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
- P405 Store locked up.
- P410 + P403 Protect from sunlight. Store in a well-ventilated place.

Disposal

- P501 Dispose of contents/ container to an approved waste disposal plant.

2.3 Other hazards which do not result in classification

- Short-term (acute) aquatic hazard, Category 3 H402: Harmful to aquatic life.

SECTION 3: Composition/information on ingredients**3.1 Substance**

- Not applicable, this product is a mixture.

ECO2FUME® FUMIGANT GAS

Revision Date 12.06.2020

3.2 Mixture

- Chemical nature Physical mixture of phosphine and carbon dioxide

Information on Components and Impurities

Chemical name	CAS-No.	GHS Classification	Concentration [%]
Carbon dioxide	124-38-9	Acute toxicity, Category 4 ; H332	98
Phosphine	7803-51-2	Flammable gases, Category 1 ; H220 Gases under pressure, Compressed gas ; H280 Acute toxicity, Category 1 ; H330 Skin corrosion, Category 1A ; H314 Serious eye damage, Category 1 ; H318 M-Factor(Acute) : 1	2
Non-hazardous ingredients *			Balance

* (Ingredients present at non-hazardous concentrations, according to criteria of SWAC (Australia) based on available information).

SECTION 4: First aid measures**4.1 Description of first aid measures****In case of inhalation**

- Quickly move the person away from the contaminated area. Make the affected person rest.
- Immediate medical attention is required.
- Show this sheet to the doctor.

In case of skin contact

- Remove contaminated clothing and shoes.
- Immediate medical attention is required.
- Wash off with soap and water.
- Wash off immediately with plenty of water for at least 15 minutes.

In case of eye contact

- Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- Keep eye wide open while rinsing.
- Show this sheet to the doctor.
- Always obtain medical advice, even if there are no symptoms.

In case of ingestion

- Not applicable

4.2 Most important symptoms and effects, both acute and delayed**In case of inhalation****Symptoms**

- Fatigue
- discomfort in the chest

Symptoms

- Weakness
- Vomiting
- chest pain

- Diarrhoea
- Difficulty in breathing

Symptoms

- pulmonary oedema
- Dizziness
- Cyanosis
- Unconsciousness

Effects

- Serious effects on health can appear after exposure, even death.
- The effects will depend on target organs.
- If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.
- In case of inhalation, irritation/corrosion of the respiratory tract.
- Risk of respiratory disorder
- May cause irreversible skin damage.
- Chronic exposure may cause dermatitis.
- May cause irreversible eye damage.
- Loss of the eye

Symptoms

- Symptoms will depend on the target organs.
- Inhalation may provoke the following symptoms:
 - Cough
 - Breathing difficulties
 - Irritation
 - Redness
 - Swelling of tissue
- Ingestion may provoke the following symptoms:
 - Nausea
 - Diarrhoea
 - Abdominal pain
 - May cause respiratory tract irritation.
 - Dermatitis
 - Causes skin burns.
 - Lachrymation
 - Conjunctivitis
 - Causes eye burns.

4.3 Indication of any immediate medical attention and special treatment needed**Notes to physician**

- If breathed in, move person into fresh air.
- Be aware to maintain life support if necessary.
- Take victim immediately to hospital.
- Immediate medical attention is required.
- Consult with an ophthalmologist immediately in all cases.
- Burns must be treated by a physician.
- Treat symptomatically.
- Contact a poison control center.
- Keep under medical supervision for at least 48 hours.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

- Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Keep containers and surroundings cool with water spray.

5.2 Special hazards arising from the substance or mixture

- Highly flammable
- Dense white fumes are given off which may obscure the area.

5.3 Advice for firefighters

Special protective equipment for firefighters

- Wear full protective clothing and self-contained breathing apparatus.
- Hazchem Code 2XE

Specific fire fighting methods

- Cool containers/tanks with water spray.

Further information

- Control the use of water due to environmental risk (see section 6).

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Where exposure level is known, wear approved respirator suitable for level of exposure.
- Where exposure level is not known, wear approved, positive pressure, self-contained respirator.
- Do not breathe gas.
- Wear self-contained breathing apparatus and protective suit.
- If spillage occurs on the public highway, indicate the danger and notify the authorities (police, fire brigade).
- Evacuate personnel to safe areas.
- Remove all sources of ignition.
- Only qualified personnel equipped with suitable protective equipment may intervene.
- Stop the leak as quickly as possible (using non-sparking tools).
- Mechanically ventilate the spillage area, whilst avoiding the formation of explosive concentrations.

6.2 Environmental precautions

- Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

- Keep container tightly closed.
- Flammable product. Take all necessary precautions. Earth the containers and the equipment.
- Ventilate the area.

6.4 Reference to other sections

- For personal protection see section 8.
- For disposal considerations see section 13.

Dangerous Goods - Emergency Response Guidebook (ERG) (AU ERG2018)

Guide : 07

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Wear protective gloves/ protective clothing/ eye protection/ face protection.
- Use only in well-ventilated areas.
- Wash hands after handling.
- Do not breathe gas.

- The gas deadens the sense of smell. Do not depend on odor to detect presence of gas.
- Keep cylinder out of sun and away from heat.
- Keep cylinder in an upright position and protect from falling.
- Cylinders must be handled in accordance with industry standards for compressed gases.

Hygiene measures

- Handle in accordance with good industrial hygiene and safety practice.
- Wash hands before breaks and at the end of workday.
- When using do not eat, drink or smoke.
- Eye wash bottles or eye wash stations in compliance with applicable standards.
- Ensure that eyewash stations and safety showers are close to the workstation location.
- Keep away from food and drink.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Recommended storage temperature: < 60 °C

- The building should be adequately ventilated and equipped with a continuous monitoring and alarm system.
- This area should be secured, locked and have a well-drained, firm and level surface, preferably reinforced concrete.
- Indoor storage in a separate building with no other occupancy is suitable.
- It is recommended that both full and used cylinders be stored outdoors in a dedicated and properly designed and labeled storage area, away from other building ventilation intakes.
- The indoor storage of toxic gases is prohibited in some jurisdictions.
- The storage of these gases in occupied spaces is not recommended.
- The building should be adequately ventilated and equipped with a continuous monitoring and alarm system.
- Keep in a dry, cool and well-ventilated place.
- Store in a fireproof area.
- Indoor storage in a separate building with no other occupancy is suitable.
- The indoor storage of toxic gases is prohibited in some jurisdictions.
- Store in upright position only.
- It is recommended that both full and used cylinders be stored outdoors in a dedicated and properly designed and labeled storage area, away from other building ventilation intakes.
- The storage of these gases in occupied spaces is not recommended.
- This area should be secured, locked and have a well-drained, firm and level surface, preferably reinforced concrete.
- To guarantee safety keep according to Storage temperature and conditions.

Australian AS 1940 Storage Classification

- (Not applicable)

7.3 Specific end use(s)

- no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with national occupational exposure limits

Components	Value type	Value	Basis
Carbon dioxide	TWA	5,000 ppm 9,000 mg/m ³	Australia. Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment
Carbon dioxide	STEL	30,000 ppm 54,000 mg/m ³	Australia. Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment

ECO2FUME® FUMIGANT GAS

Revision Date 12.06.2020

Carbon dioxide	TWA	12,500 ppm 22,500 mg/m ³	Australia. Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment
Carbon dioxide	STEL	30,000 ppm 54,000 mg/m ³	Australia. Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment
Phosphine	TWA	0.3 ppm 0.42 mg/m ³	Australia. Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment
Phosphine	STEL	1 ppm 1.4 mg/m ³	Australia. Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment

Components with other occupational exposure limits

Components	Value type	Value	Basis
Carbon dioxide	TWA	5,000 ppm	USA. ACGIH Threshold Limit Values (TLV)
Carbon dioxide	STEL	30,000 ppm	USA. ACGIH Threshold Limit Values (TLV)
Phosphine	TWA	0.05 ppm	USA. ACGIH Threshold Limit Values (TLV)
Phosphine	C	0.15 ppm	USA. ACGIH Threshold Limit Values (TLV)

8.2 Exposure controls**Control measures****Engineering measures**

- Ensure adequate ventilation.
- Apply technical measures to comply with the occupational exposure limits.
- Use a closed system process where feasible.

-

Individual protection measures**Respiratory protection**

- Self-contained breathing apparatus in confined spaces/insufficient oxygen/in case of large uncontrolled emissions/in all circumstances when the mask and cartridge do not give adequate protection.
- Use only respiratory protection that conforms to international/ national standards.
- Wear a positive-pressure supplied-air respirator.
- Components with workplace control parameters

Hand protection

- Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

PRCO90072885

Version : 1.03 / AU (EN)

www.solvay.com



- Impervious gloves

Eye protection

- Chemical resistant goggles must be worn.
- Tightly fitting safety goggles
- Ensure that eyewash stations and safety showers are close to the workstation location.

Skin and body protection

- Impervious clothing
- Full protective suit
- Change working clothes after each workshift.
- Contaminated work clothing should not be allowed out of the workplace.
- Gas is not known to be absorbed through skin.
- Steel toed safety shoes are recommended for anyone handling compressed gas cylinders.

Hygiene measures

- Handle in accordance with good industrial hygiene and safety practice.
- Wash hands before breaks and at the end of workday.
- When using do not eat, drink or smoke.
- Eye wash bottles or eye wash stations in compliance with applicable standards.
- Ensure that eyewash stations and safety showers are close to the workstation location.
- Keep away from food and drink.

Environmental exposure controls

- Dispose of rinse water in accordance with local and national regulations.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

<u>Appearance</u>	<u>Form:</u>	Compressed gas
	<u>Physical state:</u>	gaseous
	<u>Colour:</u>	colourless
<u>Odour</u>		garlic
<u>Odour Threshold</u>		No data available
<u>Molecular weight</u>		Mixture
<u>pH</u>		Not applicable
<u>Melting point/freezing point</u>	<u>Melting point/range:</u>	sublimes
<u>Initial boiling point and boiling range</u>	<u>Boiling point/boiling range:</u>	sublimes
<u>Flash point</u>		The product is not flammable.
<u>Evaporation rate (Butylacetate = 1)</u>		Not applicable
<u>Flammability (solid, gas)</u>		No data available
<u>Flammability (liquids)</u>		No data available

<u>Flammability/Explosive limit</u>	<u>Lower flammability/explosion limit:</u> Type: Lower flammability limit The product is not flammable. <u>Upper flammability/explosion limit:</u> Type: Upper flammability limit The product is not flammable.
<u>Auto-ignition temperature</u>	Not applicable
<u>Vapour pressure</u>	63,016.16 hPa (25 °C)
<u>Vapour density</u>	1.53 (25 °C)
<u>Density</u>	Not applicable
<u>Relative density</u>	No data available
<u>Solubility</u>	<u>Water solubility:</u> slightly soluble
<u>Partition coefficient: n-octanol/water</u>	Not applicable
<u>Decomposition temperature</u>	No data available
<u>Viscosity</u>	No data available
<u>Explosive properties</u>	No data available
<u>Oxidizing properties</u>	Not considered as oxidizing

9.2 Other information

<u>Corrosion of Metals</u>	Not corrosive to metals
<u>Peroxides</u>	The substance or mixture is not classified as organic peroxide.

SECTION 10: Stability and reactivity**10.1 Reactivity**

- no data available

10.2 Chemical stability

- Stable

10.3 Possibility of hazardous reactions

- no data available

10.4 Conditions to avoid

- no data available

10.5 Incompatible materials

- Copper
- Brass
- Copper alloys
- Noble metals

10.6 Hazardous decomposition products

Hazardous decomposition products

- Carbon oxides
- Oxides of phosphorus

SECTION 11: Toxicological information**11.1 Information on toxicological effects****Acute toxicity****Acute oral toxicity**

Not classified as hazardous for acute oral toxicity according to GHS.
According to the available data on the components.
According to the classification criteria for mixtures.
Unpublished reports and/or published data.

Acute inhalation toxicity

LC50 - 1 h (gas) 5,011 ppm - Rat
Published data

This product is classified as acute toxicity, category 3

Asphyxiation Hazard

This product is a simple asphyxiant.

Acute dermal toxicity

Not classified as hazardous for acute dermal toxicity according to GHS.
According to the available data on the components.
According to the classification criteria for mixtures.
Unpublished reports and/or published data.

Acute toxicity (other routes of administration)

Not applicable

Skin corrosion/irritation

Skin irritation

Serious eye damage/eye irritation

Irritating to eyes.

Respiratory or skin sensitisation

Does not cause skin sensitisation.
According to the available data on the components.
According to the classification criteria for mixtures.
Unpublished reports and/or published data.

Does not cause skin sensitisation.
According to the available data on the components.
According to the classification criteria for mixtures.
Unpublished reports and/or published data.

Does not cause respiratory sensitisation.
According to the available data on the components.
According to the classification criteria for mixtures.
Unpublished reports and/or published data.

Does not cause respiratory sensitisation.
According to the available data on the components.
According to the classification criteria for mixtures.
Unpublished reports and/or published data.

Mutagenicity**Genotoxicity in vitro**

Product is not considered to be genotoxic
According to the available data on the components.
According to the classification criteria for mixtures.
Unpublished reports and/or published data.

ECO2FUME® FUMIGANT GAS

Revision Date 12.06.2020

Genotoxicity in vivo	Product is not considered to be genotoxic According to the available data on the components. According to the classification criteria for mixtures. Unpublished reports and/or published data.
<u>Carcinogenicity</u>	The product is not considered to be carcinogenic. According to the available data on the components. According to the classification criteria for mixtures. Unpublished reports and/or published data.
<u>Toxicity for reproduction and development</u>	
Toxicity to reproduction/Fertility	The product is not considered to affect fertility.,According to the available data on the components. According to the classification criteria for mixtures. Unpublished reports and/or published data.
Developmental Toxicity/Teratogenicity	The product is not considered to be toxic for development.,According to the available data on the components. According to the classification criteria for mixtures. Unpublished reports and/or published data.
<u>STOT</u>	
STOT - single exposure	The substance or mixture is not classified as specific target organ toxicant, single exposure according to GHS criteria. According to the available data on the components. According to the classification criteria for mixtures. Unpublished reports and/or published data.
STOT - repeated exposure	The substance or mixture is not considered to cause damage to organs through prolonged or repeated exposure. According to the available data on the components. According to the classification criteria for mixtures. Unpublished reports and/or published data. The product itself has not been tested.
<u>Experience with human exposure</u>	
Experience with human exposure : Inhalation	No data is available on the product itself.
Experience with human exposure : Skin contact	No data is available on the product itself.
Experience with human exposure : Eye contact	No data is available on the product itself.
Experience with human exposure : Ingestion	No data is available on the product itself.
<u>CMR effects</u>	
Carcinogenicity phosphine	Not classified as a carcinogen according to GHS criteria
Mutagenicity phosphine	Not classified as mutagen according to GHS criteria.
Teratogenicity phosphine	Not classified as toxic for the reproduction (development) according to GHS criteria

Reproductive toxicity
phosphine

Not classified as toxic for the reproduction (fertility and/or development) according to GHS criteria

Aspiration toxicity

No aspiration toxicity classification, According to the available data on the components, According to the classification criteria for mixtures.

SECTION 12: Ecological information**12.1 Toxicity****Aquatic Compartment****Acute toxicity to fish**

The product itself has not been tested.

Acute toxicity to daphnia and other aquatic invertebrates

The product itself has not been tested.

Toxicity to aquatic plants

The product itself has not been tested.

Toxicity to microorganisms

The product itself has not been tested.

Chronic toxicity to fish

The product itself has not been tested.

Chronic toxicity to daphnia and other aquatic invertebrates

The product itself has not been tested.

Sediment compartment**Toxicity to benthic organisms**

The product itself has not been tested.

Terrestrial Compartment**Toxicity to soil dwelling organisms**

The product itself has not been tested.

Toxicity to terrestrial plants

The product itself has not been tested.

Toxicity to above ground organisms

The product itself has not been tested.

M-Factor

phosphine

Acute aquatic toxicity = 1
(according to the Globally Harmonized System (GHS))**12.2 Persistence and degradability****Abiotic degradation****Stability in water**

Conclusion is not possible for a mixture as a whole.

Photodegradation

Conclusion is not possible for a mixture as a whole.

Other Physico-Chemical reactions

Conclusion is not possible for a mixture as a whole.

Physical- and photo-chemical elimination**Physico-chemical removability**

Conclusion is not possible for a mixture as a whole.

Biodegradation**Biodegradability**

As (bio)degradability is not relevant for mixtures, all the components of the mixture were assessed individually (rapid degradability assessment available below).

Ratio BOD/COD

Conclusion is not possible for a mixture as a whole.

Ratio BOD/ThOD	Conclusion is not possible for a mixture as a whole.
Biochemical Oxygen Demand (BOD)	Conclusion is not possible for a mixture as a whole.
Dissolved organic carbon (DOC)	Conclusion is not possible for a mixture as a whole.
Chemical Oxygen Demand (COD)	Conclusion is not possible for a mixture as a whole.
Adsorbed organic bound halogens (AOX)	Conclusion is not possible for a mixture as a whole.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water phosphine	Not applicable (inorganic substance)
Bioconcentration factor (BCF)	No data available

12.4 Mobility in soil

Adsorption potential (Koc)	Conclusion is not possible for a mixture as a whole.
Known distribution to environmental compartments	No data available

12.5 Results of PBT and vPvB assessment

phosphine	Not applicable (inorganic substance)
-----------	--------------------------------------

12.6 Other adverse effects**Global warming potential**

carbon dioxide	Regulatory basis: Assessment Report of the Intergovernmental Panel on Climate Change (IPCC) of the United Nations Framework Convention on Climate Change (UNFCCC) 20-year global warming potential: 1 100-year global warming potential: 1 Additional Information: No single lifetime can be given. The impulse response function for CO ₂ from Joos et al. (2013) has been used. See also Supplementary Material Section 8.SM.11.
----------------	--

Ecotoxicity assessment

Short-term (acute) aquatic hazard	Harmful to aquatic life. According to the available data on the components. According to the classification criteria for mixtures. Unpublished reports and/or published data.
Long-term (chronic) aquatic hazard	No chronic environmental hazard identified. According to the available data on the components. According to the classification criteria for mixtures. Unpublished reports and/or published data.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product Disposal**

- The Company encourages the recycle, recovery and reuse of materials, where permitted. If disposal is necessary, The Company recommends that organic materials, especially when classified as hazardous waste, be disposed of by thermal treatment or incineration at approved facilities. All local and national regulations should be followed.

SECTION 14: Transport information**Road and Rail transport – ADG (Australia)**

14.1 UN number	UN 3162
14.2 Proper shipping name	LIQUEFIED GAS, TOXIC, N.O.S. (Phosphine)
14.3 Transport hazard class	2.3
Label(s)	2.3
14.4 Packing group	
Packing group	
Hazchem Code	2XE
14.5 Environmental hazards	NO
Marine pollutant	
14.6 Special precautions for user	
For personal protection see section 8.	

IMDG

14.1 UN number	UN 3162
14.2 Proper shipping name	LIQUEFIED GAS, TOXIC, N.O.S. (Phosphine)
14.3 Transport hazard class	2.3
Label(s)	2.3
14.4 Packing group	
Packing group	
14.5 Environmental hazards	NO
Marine pollutant	
14.6 Special precautions for user	
EmS	F-C , S-U

For personal protection see section 8.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
No data available

IATA

14.1 UN number	UN 3162
14.2 Proper shipping name	Not permitted for transport
14.3 Transport hazard class	Not permitted for transport
14.4 Packing group	
14.5 Environmental hazards	NO
Marine pollutant	
14.6 Special precautions for user	
Packing instruction (cargo aircraft)	Not permitted for transport
Packing instruction (passenger aircraft)	Not permitted for transport

For personal protection see section 8.

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transport regulations for hazardous materials, it would be advisable to check their validity with your sales office.

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Poison Schedule (SUSMP Australia)**

- Schedule 7: Dangerous Poison

Notification status

Inventory Information	Status
EU. European Registration, Evaluation, Authorisation and Restriction of Chemical (REACH)	- "When purchased from a Solvay legal entity based in the EEA ("European Economic Area"), this product is compliant with the registration provisions of the REACH Regulation (EC) No. 1907/2006 as all its components are either excluded, exempt, and/or registered. When purchased from a legal entity outside of the EEA, please contact your local representative for additional information.
United States TSCA Inventory	- All substances listed as active on the TSCA inventory - This product is regulated under the United States Federal Insecticide, Fungicide and Rodenticide Act (FIFRA).
Canadian Domestic Substances List (DSL)	- Listed on Inventory
Australia Inventory of Chemical Substances (AICS)	- Listed on Inventory
Japan. CSCL - Inventory of Existing and New Chemical Substances	- Listed on Inventory
Korea. Korean Existing Chemicals Inventory (KECI)	- Listed on Inventory
China. Inventory of Existing Chemical Substances in China (IECSC)	- Listed on Inventory
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	- Listed on Inventory

PRCO90072885

Version : 1.03 / AU (EN)

www.solvay.com



ECO2FUME® FUMIGANT GAS

Revision Date 12.06.2020

Taiwan Chemical Substance Inventory (TCSI)	- Listed on Inventory
New Zealand. Inventory of Chemical Substances	- All components are listed on the NZIOC inventory. The HSNO status of the product has not been assessed.

SECTION 16: Other information**Full text of H-Statements**

- H220 Extremely flammable gas.
- H280 Contains gas under pressure; may explode if heated.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H332 Harmful if inhaled.
- H402 Harmful to aquatic life.

Key or legend to abbreviations and acronyms used in the safety data sheet

- C Ceiling limit
- STEL Exposure standard - short term exposure limit
- TWA Exposure standard - time weighted average
- ca. approximately
- ADR: European Agreement on International Carriage of Dangerous Goods by Road.
- ADN: European Agreement on the International Carriage of Dangerous Goods by Inland Waterways.
- RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
- IATA: International Air Transport Association.
- ICAO-TI: Technical Instructions for Safe Transport of Dangerous Goods by Air.
- IMDG: International Maritime Dangerous Goods.
- TWA: Time weighted average
- ATE: Estimated value of acute toxicity
- EC: European Community number
- CAS: Chemical Abstracts Service.
- LD50: Substance that causes 50% (half) death in the test animals group (Median Fatal Dose).
- LC50: Substance concentration causing 50% (half) death in the test animals group.
- EC50: Effective Concentration of the substance causing the maximum of 50%.
- PBT: Persistent, Bioaccumulative and Toxic substance.
- vPvB: Very Persistent and Very Bioaccumulative.
- GHS/CLP/SEA: Classification, labeling, packaging regulation
- DNEL: Derived No Effect Level
- PNEC: Predicted No Effect Concentration
- STOT: Specific Target Organ Toxicity

Not all acronyms listed above are referenced in this SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in any other manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.