

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



Dow AgroSciences

Rizacon™ S

Insecticide

**ACTIVE CONSTITUENT: 300 g/L S-METHOPRENE
401 g/L LIQUID HYDROCARBONS**

GROUP 7A INSECTICIDE

For mixing with uninfested cereal grain for protection against immature stages of Lesser grain borer, Rust-red flour beetle and Sawtoothed grain beetle, including organophosphate-resistant strains, as per the DIRECTIONS FOR USE table.

Dow AgroSciences Australia Limited ABN 24 003 771 659
20 Rodborough Road FRENCHS FOREST NSW 2086
www.dowagrosciences.com.au

CUSTOMER SERVICE TOLL FREE 1-800 700 096

Rizacon™ Trademark of Wellmark International Inc.

© Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow



Dow AgroSciences

DIRECTIONS FOR USE

RESTRAINTS:

DO NOT move treated grain within 24 hours after treatment. RIZACON S IGR Grain Protector is only effective against insects in their immature stages.

In WA for use by Bulk Handling Authorities only.

CROP/SITUATION	PEST	RATE	CRITICAL COMMENTS
Stored cereal grain	Lesser grain borer, Rust-red flour beetle, Sawtoothed grain beetle, including those resistant to organophosphates	100 mL in 50 L of water, for up to 9 months' protection	Apply at the rate of 1 L diluted spray per tonne of grain
	Stored grain insect pests including Grain weevils	As above, plus Reldan® 500 EC Insecticide at rates shown on the approved label	

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD: NOT REQUIRED WHEN USED AS DIRECTED.

GENERAL INSTRUCTIONS

Insecticide Resistance Warning

GROUP 7A INSECTICIDE

For insecticide resistance management, Dow AgroSciences Rizacon S IGR Grain Protector is a group 7A insecticide. Some naturally occurring insect biotypes resistant to Rizacon S and other Group 7A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Rizacon S or other Group 7A insecticides are used repeatedly. The effectiveness of Rizacon S on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Dow AgroSciences Australia Ltd accepts no liability for any losses that may result from the failure of Rizacon S to control resistant insects. Rizacon S may be subject to specific resistance management strategies. For further information contact your local supplier.

MIXING

Using clean water only, dilute sufficient material for the job at hand. Diluted spray should be used within 48 hours.

EQUIPMENT

The diluted spray should be applied through special grain spraying equipment. The spray nozzle(s) must be capable of delivering an even spray pattern, and the output of spray pattern, and the output of spray must be regulated according to the flow of the grain.

Check rate of treatment

The spray rate, measured in litres per hour, must equal the auger or elevator uptake in tonnes per hour.

Cleaning up

On completion, wash out spraying equipment and mixing and measuring utensils with water.

Export of Treated Produce

Users should note that suitable MRLs or import tolerances may not have been established in all markets for produce treated with Rizacon S. Before treating grain for export, please check with Dow AgroSciences Australia Ltd for the latest information on MRLs and import tolerances.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

The method of disposal of the container depends on the container type. Read the STORAGE AND DISPOSAL instructions on the label that is attached to the container.



SAFETY DIRECTIONS

- Harmful if swallowed.
- Will irritate the eyes, nose, throat and skin.
- Avoid contact with eyes and skin. Repeated exposure may cause allergic disorders.
- Do not inhale vapour or spray mist. Ensure adequate ventilation during use.
- When preparing spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, a washable hat and elbow-length PVC gloves.
- Wash hands after use.
- After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone: *Australia* 13 11 26.

If swallowed do NOT induce vomiting. Give a glass of water.

MATERIAL SAFETY DATA SHEET

Additional information is listed in the Material Safety Data Sheet for **RIZACON™ INSECTICIDE** which is available from Dow AgroSciences on request. Call Customer Service Toll Free on 1-800 700 096 or visit www.dowagrosciences.com.au

Rizacon™ Trademark of Wellmark International Inc.
© Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

Made in USA

APVMA Approval No: 55854/0702

EMERGENCY RESPONSE
(ALL HOURS)
RING FROM ANYWHERE
IN AUSTRALIA
1-800 033 882
(LOCAL CALL FEE ONLY)

IN A TRANSPORT
EMERGENCY ONLY
DIAL 000
FOR POLICE OR
FIRE BRIGADE



Specimen Label



Dow AgroSciences